KA 4016 T/T IN - TILT AND TURN QUOTE SHEET


MAX DIMENSIONS SINGLE WINDOW/DOOR

- LMI
 - 39" Width x 130" Height SGP
 - 40" Width x 108" Height PVB
- SMI

•

- 49" Width x 108" Height
- NI
 - 39" Width x 108" Height

TYPES (For custom types attach drawing)



*If Equal lites, don't put anything on X and Y

QUANTITY	IMPACT	TYPE	DIMENSIONS (INCHES)					INTERIOR	EXTERIOR	GLASS	
QUANTIT	IMPACT	TTPE	н	w	×	Y	Z	COLOR	COLOR	CONFIG	COLOR
	o lmi o smi o ni									LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni									LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni									LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni									LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni									LAMINATEDINSULATED	 CLEAR COLORED LOW-E

IN	IPACT	COLORS	*	DC05-Dark Grey	*	MA09
	LMI = Large Missile Impact	* DC01-Bright White		DC06-Black	*	MA10
	SMI = Small Missile Impact	* DC02-Silver	*	DC09-Brown	*	MA07
*	NI = Non Impact	* DCO4-Graphite	*	MA04	*	MA08



	IMPACT	ТҮРЕ		DIMI	ENSIONS (INCI	HES)	INTERIOR	EXTERIOR	GLA	ASS
QUANTITY	IMPACT	ITPE	н	w	W X Y Z COLOR		COLOR	CONFIG	COLOR	
	o lmi o smi o ni								LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni								LaminatedInsulated	 ○ CLEAR ○ COLORED ○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 ○ CLEAR ○ COLORED ○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								 LAMINATED INSULATED 	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 CLEAR COLORED LOW-E

1PACT LMI = Large Missile Impact	COLORS * DC01-Bright White	*	DC05-Dark Grey DC06-Black		MA09 MA10
SMI = Small Missile Impact	* DC02-Silver	*	DC09-Brown		MA07
NI = Non Impact	* DCO4-Graphite	*	MA04	*	MA08

IMPA * L



	IMPACT	ТҮРЕ		DIMI	ENSIONS (INCI	HES)	INTERIOR	EXTERIOR	GLA	ASS
QUANTITY	IMPACT	ITPE	н	w	W X Y Z COLOR		COLOR	CONFIG	COLOR	
	o lmi o smi o ni								LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni								LaminatedInsulated	 ○ CLEAR ○ COLORED ○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 ○ CLEAR ○ COLORED ○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								 LAMINATED INSULATED 	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 CLEAR COLORED LOW-E

1PACT LMI = Large Missile Impact	COLORS * DC01-Bright White	*	DC05-Dark Grey DC06-Black		MA09 MA10
SMI = Small Missile Impact	* DC02-Silver	*	DC09-Brown		MA07
NI = Non Impact	* DCO4-Graphite	*	MA04	*	MA08

IMPA * L



	IMPACT	ТҮРЕ		DIMI	ENSIONS (INCI	HES)	INTERIOR	EXTERIOR	GLA	ASS
QUANTITY	IMPACT	ITPE	н	w	W X Y Z COLOR		COLOR	CONFIG	COLOR	
	o lmi o smi o ni								LAMINATEDINSULATED	 CLEAR COLORED LOW-E
	o lmi o smi o ni								LaminatedInsulated	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 ○ CLEAR ○ COLORED ○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 ○ CLEAR ○ COLORED ○ LOW-E
	O LMI O SMI O NI								 LAMINATED INSULATED 	○ CLEAR○ COLORED○ LOW-E
	O LMI O SMI O NI								LAMINATEDINSULATED	 CLEAR COLORED LOW-E

1PACT LMI = Large Missile Impact	COLORS * DC01-Bright White	*	DC05-Dark Grey DC06-Black		MA09 MA10
SMI = Small Missile Impact	* DC02-Silver	*	DC09-Brown		MA07
NI = Non Impact	* DCO4-Graphite	*	MA04	*	MA08

IMPA * L

